Evolution, 43(8), 1989, pp. 1840–1848

SUBJECT INDEX TO VOLUME 43

AMPHIBIANS
- Mitochondrial DNA, phylogeny, hybrid zones, crested newts, 88
- paedomorphosis, artificial selection, salamanders, 105
- hybrid zone, natural selection, salamanders, 728
- behavioral basis of sexual isolation, salamanders, 745

BEHAVIOR
- cuckoo parasitism, *Ploceus cucullatus*, egg-rejection behavior, 55
- filial cannibalism, mating tactics, cortez damselfish, 158
- cannibalism, quantitative genetics, *Tribolium confusum*, 169
- courtship success, hybrids, genetic variation, co-adapted gene complex, *Drosophila*, 347
- aggressive behavior, allorecognition, theory, cnidarians, 504
- behavioral basis of sexual isolation, salamanders, 745
- mating behavior, mating-competition experiments, genetic basis, *Xiphophorus nigrensis*, 1298
- reproductive isolation, isolating mechanisms, behavioral isolation, adaptive divergence, *Drosophila pseudoobscura*, 1308
- receptivity to remating, fecundity, *Drosophila melanogaster*, 1311
- sexual selection, handicap mechanism, paternal investment, female choice, "Fisher line," haploid model, 1387
- sexual selection, sperm competition, morphometric analysis, behavioral observations, savanna baboons, 1507
- mate choice, male wing melanin patterns, butterflies, 1672
- flight behavior, responses to selection, migratory milkweed bugs, 1805

BIRDS
- path-analytic model, phylogeny, phenotypic selection, House Sparrows, 18
- morphological bases of flightlessness, grebes, 29
- cuckoo parasitism, *Ploceus cucullatus*, egg-rejection behavior, 55
- mimicry, sexual selection, butterflies, Blue Jays, 410
- sexual size dimorphism, polygynous and monogamous populations, sparrows, 1120, 1121
- inbreeding, reproductive success, Darwin's Medium Ground Finches, 1273
- feeding efficiency, crossbills, 1324
- clutch sizes, demographic data, Florida Scrub Jay, 1706
- heritability of body size, cross-fostering experiment, Tree Swallows, 1808

BOOKS REVIEWED
- *Neural Darwinism. The Theory of Neuronal Group Selection*, 694
- *Population Biology*, 697
- *Darwinism: The Refutation of a Myth*, 699
- *Ecology and Evolution of Darwin's Finches*, 701
- *Kin Recognition in Animals*, 703
- *The Butterflies of Costa Rica and Their Natural History: Papilionidae, Pieridae, Nymphalidae*, 705
- *New Directions in Ecological Physiology*, 919
- *Ecological Relationships of Plants and Animals*, 920
- *Plant Reproductive Ecology: Patterns and Strategies*, 1124
- *Interindividual Behavioral Variability in Social Insects*, 1125
- *Community Ecology and Salamander Guilds*, 1127
- *Population Ecology of the Cooperatively Breeding Acorn Woodpecker*, 1129
- *Developmental and Evolutionary Aspects of the Neural Crest*, 1337
- *Oxford Surveys in Evolutionary Biology*, 1338
- *Natural Selection in the Wild*, 1339
- *Morphogenesis and Evolution*, 1571
- *An Evolutionary Basis for Pollination Ecology*, 1573

CHROMOSOMAL EVOLUTION
- chromosome number, ribosomal and mitochondrial DNA, hybrid zone, pocket gopher, gene flow, 63
- chromosomal variation, gene flow, deer mice, 226
- ribosomal and mitochondrial DNA, karyotyping, phylogenies, *Sceloporus grammicus*, 296
- autopolyploidy, genetic diversity, *Tolmiea menziessi*, 586
- autotetraploids, phylogeny, chloroplast DNA, *Heuchera micrantha*, 650
- nuclear DNA content, flow cytometry, neotropical bats, 756
- allele-frequency changes, inversions, latitudinal clines, *Drosophila melanogaster*, 775
- genome size, development time, body size, mosquitos, 895
- karyotypic evolution, polyploidy, genome size, phylogeny, Proseriata, 900

CNIDARIANS
- aggressive behavior, allorecognition, theory, 504

COEVOLUTION
- mimicry, sexual selection, butterflies, Blue Jays, 410
- frequency-dependent selection, warning color, hybrid zones, butterflies, 421
- coevolution, genetic variation, costs of herbivore resistance, *Ipomoea purpurea*, 573
- host-parasite interaction, maintenance of sex, reciprocal cross-infection experiments, digenetic trematodes, snails, 1663

COMPETITION (see also ECOLOGY)
- body and kype size, breeding competition, natural selection, coho salmon, 125
- egg production, life-history trade-offs, secondary sexual characters, breeding competition, coho salmon, 141
- pollen-tube growth, gametophytic competition, germination synchrony, *Erythronium grandiflorum*, 220
- male-male competition, phenotypic selection of floral traits, sex-specific selection, sex-allocation theory, *Ipomopsis aggregata*, 318
- maintenance of sex, sib-competition, *Anthoxanthum odoratum*, 1054, 1066

Evolution, 43(8), 1989, pp. 1840–1848

SUBJECT INDEX TO VOLUME 43

AMPHIBIANS
- Mitochondrial DNA, phylogeny, hybrid zones, crested newts, 88
- paedomorphosis, artificial selection, salamanders, 105
- hybrid zone, natural selection, salamanders, 728
- behavioral basis of sexual isolation, salamanders, 745

BEHAVIOR
- cuckoo parasitism, *Ploceus cucullatus*, egg-rejection behavior, 55
- filial cannibalism, mating tactics, cortez damselfish, 158
- cannibalism, quantitative genetics, *Tribolium confusum*, 169
- courtship success, hybrids, genetic variation, co-adapted gene complex, *Drosophila*, 347
- aggressive behavior, allorecognition, theory, cnidarians, 504
- behavioral basis of sexual isolation, salamanders, 745
- mating behavior, mating-competition experiments, genetic basis, *Xiphophorus nigrensis*, 1298
- reproductive isolation, isolating mechanisms, behavioral isolation, adaptive divergence, *Drosophila pseudoobscura*, 1308
- receptivity to remating, fecundity, *Drosophila melanogaster*, 1311
- sexual selection, handicap mechanism, paternal investment, female choice, "Fisher line," haploid model, 1387
- sexual selection, sperm competition, morphometric analysis, behavioral observations, savanna baboons, 1507
- mate choice, male wing melanin patterns, butterflies, 1672
- flight behavior, responses to selection, migratory milkweed bugs, 1805

BIRDS
- path-analytic model, phylogeny, phenotypic selection, House Sparrows, 18
- morphological bases of flightlessness, grebes, 29
- cuckoo parasitism, *Ploceus cucullatus*, egg-rejection behavior, 55
- mimicry, sexual selection, butterflies, Blue Jays, 410
- sexual size dimorphism, polygynous and monogamous populations, sparrows, 1120, 1121
- inbreeding, reproductive success, Darwin's Medium Ground Finches, 1273
- feeding efficiency, crossbills, 1324
- clutch sizes, demographic data, Florida Scrub Jay, 1706
- heritability of body size, cross-fostering experiment, Tree Swallows, 1808

BOOKS REVIEWED
- *Neural Darwinism. The Theory of Neuronal Group Selection*, 694
- *Population Biology*, 697
- *Darwinism: The Refutation of a Myth*, 699
- *Ecology and Evolution of Darwin's Finches*, 701
- *Kin Recognition in Animals*, 703
- *The Butterflies of Costa Rica and Their Natural History: Papilionidae, Pieridae, Nymphalidae*, 705
- *New Directions in Ecological Physiology*, 919
- *Ecological Relationships of Plants and Animals*, 920
- *Plant Reproductive Ecology: Patterns and Strategies*, 1124
- *Interindividual Behavioral Variability in Social Insects*, 1125
- *Community Ecology and Salamander Guilds*, 1127
- *Population Ecology of the Cooperatively Breeding Acorn Woodpecker*, 1129
- *Developmental and Evolutionary Aspects of the Neural Crest*, 1337
- *Oxford Surveys in Evolutionary Biology*, 1338
- *Natural Selection in the Wild*, 1339
- *Morphogenesis and Evolution*, 1571
- *An Evolutionary Basis for Pollination Ecology*, 1573

CHROMOSOMAL EVOLUTION
- chromosome number, ribosomal and mitochondrial DNA, hybrid zone, pocket gopher, gene flow, 63
- chromosomal variation, gene flow, deer mice, 226
- ribosomal and mitochondrial DNA, karyotyping, phylogenies, *Sceloporus grammicus*, 296
- autopolyploidy, genetic diversity, *Tolmiea menziessi*, 586
- autotetraploids, phylogeny, chloroplast DNA, *Heuchera micrantha*, 650
- nuclear DNA content, flow cytometry, neotropical bats, 756
- allele-frequency changes, inversions, latitudinal clines, *Drosophila melanogaster*, 775
- genome size, development time, body size, mosquitos, 895
- karyotypic evolution, polyploidy, genome size, phylogeny, Proseriata, 900

CNIDARIANS
- aggressive behavior, allorecognition, theory, 504

COEVOLUTION
- mimicry, sexual selection, butterflies, Blue Jays, 410
- frequency-dependent selection, warning color, hybrid zones, butterflies, 421
- coevolution, genetic variation, costs of herbivore resistance, *Ipomoea purpurea*, 573
- host-parasite interaction, maintenance of sex, reciprocal cross-infection experiments, digenetic trematodes, snails, 1663

COMPETITION (see also ECOLOGY)
- body and kype size, breeding competition, natural selection, coho salmon, 125
- egg production, life-history trade-offs, secondary sexual characters, breeding competition, coho salmon, 141
- pollen-tube growth, gametophytic competition, germination synchrony, *Erythronium grandiflorum*, 220
- male-male competition, phenotypic selection of floral traits, sex-specific selection, sex-allocation theory, *Ipomopsis aggregata*, 318
- maintenance of sex, sib-competition, *Anthoxanthum odoratum*, 1054, 1066

maintenance of outcrossing, sib-competition, frequency-dependent selection, *Impatiens capensis,* 1075
mating behavior, mating-competition experiments, genetic basis, *Xiphophorus nigrensis,* 1298

CRUSTACEANS
mate-finding ability, sensory structures, natural selection, cave dwelling amphipods, 689
sex-limited meiosis suppression, cyclic parthenogenesis, interspecific hybridization, allozymes, *Daphnia pulex,* 1004
origin of asexuality, clonal diversity, mitochondrial DNA, *Daphnia pulex,* 1016
discrete male morphs, male fertilization success, marine isopods, 1683
maintenance of sex, isozyme variation, mitochondrial DNA, life-history characters, *Daphnia pulex,* 1724

DEVELOPMENT
paedomorphosis, artificial selection, salamanders, 105
developmental constraints, *Cerion,* 516
dental development, primate life history, 683
gene-product expression, early development, echinoids, 803
postnatal growth, ontogenetic variation, developmental constraints, covariation, cotton rats, 814
biological homology concept, historically acquired developmental constraints, blenniid fishes, 1157

DROSOPHILA
hybrid sterility, *Drosophila pseudoobscura,* 180
head morphology, hybrids, sexual selection, Hawaiian *Drosophila,* 190
courtship success, hybrids, genetic variation, coadapted gene complex, 347
speciation, 362
r- and *K*-selection, life history, *Drosophila melanogaster,* 382
clinal variation, *Adh,* natural selection, genomic DNA, *Drosophila melanogaster,* 393
epicuticular hydrocarbon composition, cuticular permeability, sexual dimorphism, thermal acclimation, *Drosophila pseudoobscura,* 468
shifting-balance model, epistasis, *Drosophila melanogaster,* 766
allele-frequency changes, inversions, latitudinal clines, *Drosophila melanogaster,* 775
speciation, sexual isolation, *Drosophila mojavensis,* 908
reproductive isolation, isolating mechanisms, behavioral isolation, adaptive divergence, *Drosophila pseudoobscura,* 1308
receptivity to remating, fecundity, *Drosophila melanogaster,* 1311
adult ethanol metabolism, cactophilic *Drosophila,* 1316
resource use, electrophoretic variability, oviposition-site preference, larval performance, host specificity, *Drosophila tripunctata,* 1467
incipient reproductive isolation, hybrid breakdown, 1610
inbreeding, genetic variance, viability, *Drosophila melanogaster,* 1800

ECHINODERMS
gene-product expression, early development, echinoids, 803

ECOLOGY
migration patterns, clines, gametic-phase disequilibrium, *Triticum dicoccoides,* 595
pollen shadows, pollination, gene flow, *Erythronium grandiflorum,* 657
pollination, color change, floral traits, *Lupinus argenteus,* 870
insect floral herbivory, maternal fitness, *Pastinaca sativa,* 891
life-history patterns, predation, repeatability, guppies, 1285
feeding efficiency, crossbills, 1324
resource use, electrophoretic variability, oviposition-site preference, larval performance, host specificity, *Drosophila tripunctata,* 1467
clutch sizes, demographic data, Florida Scrub Jay, 1706
evolution of aposematism, individual selection, marine gastropods, 1811
differential host-plant usage, sympatric speciation, *Rhagoletis pomonella,* 1813
Hutchinsonian ratios, statistical power, 1820

ELECTROPHORETIC VARIATION (see also VARIATION—GENETIC)
gametic disequilibrium, direct selection, mussels, 228
genetic diversity, *Acacia mangium,* 231
two-dimensional gel electrophoresis, fibroblast proteins, phenetic trees, Ursidae, 282
mosaic hybrid zones, allozymes, mitochondrial DNA, crickets, 432
hybrid zones, morphology, allozymes, mitochondrial DNA, frequency-dependent introgression, *Notropis,* 620
dendrograms, allozymes, *Anolis,* 678
genetic introgression, pupfishes, 717
allele-frequency changes, inversions, latitudinal clines, *Drosophila melanogaster,* 775
interpopulational differentiation, racial admixture, gene flow, Africanized honeybees, 794
partial selfing, genetic covariance, paternity analysis, *Mimulus guttatus,* 848
cleistogamous and chasmogamous flowers, outcrossing rates, biparental inbreeding, *Impatiens capensis,* 860
triploid parthenogens, repetitive hybrid origins, genotypic diversity, allozymes, *Heteronotia binoei,* 994
sex-limited meiosis suppression, cyclic parthenogenesis, interspecific hybridization, allozymes, *Daphnia pulex,* 1004
parthenogenetic clones, multiple hybridizations, allozymes, *Warramabo virgo,* 1027
haploid gene diversity, allozymes, dioecious moss, 1085
resource use, oviposition-site preference, larval performance, host specificity, *Drosophila tripunctata,* 1467
gene duplication, gene silencing, cytosolic glucosephosphate isomerase, Leguminosae, 1637
maintenance of sex, isozyme and mitochondrial-DNA variation, life-history characters, *Daphnia pulex,* 1724

FISH
body and kype size, breeding competition, natural selection, coho salmon, 125
egg production, life-history trade-offs, secondary sexual characters, breeding competition, coho salmon, 141
filial cannibalism, mating tactics, cortez damselfish, 158
nuptial color, predation, threespine sticklebacks, 450
"mass-mortality layers," time-averaged samples, character variances, sticklebacks, 607
hybrid zones, morphology, allozymes, mithchondrial DNA, frequency-dependent introgression, *Notropis,* 620
frozen niche-variation model, "hemiclones," life-history variation, *Poeciliopsis,* 635
genetic introgression, protein electrophoresis, pupfishes, 717
mitochondrial DNA, nonreciprocal hybridizations, *Menidia clarkhubbsi,* 984
biological homology concept, historically acquired developmental constraints, blenniid fishes, 1157
life-history patterns, predation, repeatability, guppies, 1285
mating behavior, mating-competition experiments, genetic basis, *Xiphophorus nigrensis,* 1298
optimal-life-history theory, population size structure, sex-changing coral-reef fish, 1497
genetic variation, life-history variables, balancing selection, environmental variation, bony fishes, 1712

FITNESS (see THEORY)

FUNGI
host compatibility, *Atkinsonella hypoxylon,* 825
sex-specific fungal infection, *Silene alba,* anther-smut fungus, 835
ribosomal DNA, biological species, root-infecting fungi, 1652

GENE FLOW
chromosome number, ribosomal and mitochondrial DNA, hybrid zone, pocket gopher, 63
mitochondrial DNA, phylogeny, hybrid zones, crested newts, 88
chromosomal variation, deer mice, 226
pollen shadows, pollination, *Erythronium grandiflorum,* 657
interpopulational differentiation, racial admixture, Africanized honeybees, 794
"optimal outcrossing distance," pollination experiment, *Ipomopsis aggregata,* 1097
"optimal outbreeding distance," quadratic-regression analysis, 1110
evolution of reinforcement, hybrid zone, postmating isolation, theory, 1223
F_{ST}, rare alleles, maximum likelihood, theory, 1349
pollen dispersal, *Ipomopsis aggregata,* 1444
bidirectional gene exchange, interspecific recombination, hybrids, unstable phenotypes, eubacteria, 1585

HYBRIDIZATION
chromosome number, ribosomal and mitochondrial DNA, hybrid zone, pocket gopher, gene flow, 63
mitochondrial DNA, phylogeny, hybrid zones, crested newts, 88
hybrid sterility, *Drosophila,* 180
head morphology, hybrids, sexual selection, *Drosophila,* 190
courtship success, hybrids, genetic variation, coadapted gene complex, *Drosophila,* 347
frequency-dependent selection, warning color, hybrid zones, butterflies, 421
mosaic hybrid zones, allozymes, mitochondrial DNA, crickets, 432
hybrid zones, morphology, allozymes, mitochondrial DNA, frequency-dependent introgression, *Notropis,* 620
frozen-niche-variation model, "hemiclones," life-history variation, *Poeciliopsis,* 635
genetic introgression, protein electrophoresis, pupfishes, 717
hybrid zone, natural selection, salamanders, 728
origin of parthenogenesis, mitochondrial DNA, parthenogenetic lizards, 943
mitochondrial DNA, maternal ancestry, whiptail lizards, 958
mitochondrial DNA, tandem sequence duplication, phylogeny, *Cnemidophorus,* 969
mitochondrial DNA, nonreciprocal hybridizations, *Menidia clarkhubbsi,* 984
triploid parthenogens, repetitive hybrid origins, genotypic diversity, allozymes, *Heteronotia binoei,* 994
sex-limited meiosis suppression, cyclic parthenogenesis, allozymes, *Daphnia pulex,* 1004
parthenogenetic clones, multiple hybridizations, allozymes, *Warramabo virgo,* 1027
evolution of reinforcement, hybrid zone, gene flow, postmating isolation, theory, 1223
bidirectional gene exchange, interspecific recombination, hybrids, unstable phenotypes, eubacteria, 1585
incipient reproductive isolation, hybrid breakdown, *Drosophila,* 1610

INSECTS (see also DROSOPHILA)
path-analytic model, phylogeny, phenotypic selection, pentatomid bugs, 18
cannibalism, quantitative genetics, *Tribolium confusum,* 169
nuclear DNA, transovarial bacterial transmission, cockroaches, 276
mimicry, sexual selection, butterflies, Blue Jays, 410
frequency-dependent selection, warning color, hybrid zones, butterflies, 421
mosaic hybrid zones, allozymes, mitochondrial DNA, crickets, 432
sex ratios, foundress density, hymenopteran wasps, 465
interpopulational differentiation, racial admixture, gene flow, Africanized honeybees, 794
pollination, pollinator-mediated selection, bumblebees, *Polemonium viscosum,* 882
genome size, development time, body size, mosquitos, 895
genetic-relatedness hypothesis of sex-ratio theory, slave-making ants, 913
parthenogenetic clones, multiple hybridizations, allozymes, *Warramabo virgo,* 1027
reproductive isolation, host specificity, ladybird beetles, 1045

sexual selection, male horn size, population density, fungus beetles, 1378
clinal variation, body size, diapause, diversifying selection, heritability, striped ground cricket, 1483
mate choice, male wing melanin patterns, butterflies, 1672
flight behavior, responses to selection, migratory milkweed bugs, 1805
differential host-plant usage, sympatric speciation, *Rhagoletis pomonella,* 1813
lifetime reproductive success, intensity of selection, *Colpula lativentris,* 1826

LIFE-HISTORY VARIATION
quantitative-genetic variation, *Heterosperma pinnatum,* 113
body and kype size, breeding competition, natural selection, coho salmon, 125
egg production, trade-offs, secondary sexual characters, breeding competition, coho salmon, 141
r- and *K*-selection, *Drosophila melanogaster,* 382
successional gradient, directional/stabilizing/disruptive selection, *Danthonia spicata,* 548
coevolution, genetic variation, costs of herbivore resistance, *Ipomoea purpurea,* 573
frozen niche-variation model, "hemiclones," *Poeciliopsis,* 635
dental development, primates, 683
mating system, seed weight, emergence date, inbreeding depression, *Collinsia verna,* 1263
predation, repeatability, guppies, 1285
sex ratio, biomass allocation, cost of male function, *Cucurbita foetidissima,* 1424
adaptation to seasonality, crickets, body size and diapause expression, 1483
theory, population size structure, sex-changing coral-reef fish, 1497
genetic variation, balancing selection, environmental variation, bony fishes, 1712
maintenance of sex, isozyme variation, mitochondrial DNA, *Daphnia pulex,* 1724

MACROEVOLUTION
gradualism, punctuated equilibrium, autapomorphies, cladistic analysis, small monophyletic groups, computer simulations, 1538

MAMMALS
neutral models, quantitative-genetic variation, phylogenies, human cranial morphology, 1
chromosome number, ribosomal and mitochondrial DNA, hybrid zone, pocket gopher, gene flow, 63
chromosomal variation, gene flow, deer mice, 226
two-dimensional gel electrophoresis, fibroblast proteins, phenetic trees, Ursidae, 282
mitochondrial DNA, deer mice, 646
maximum-likelihood methods, phylogeny, mitochondrial DNA, hominids, 672
dental development, primate life history, 683
nuclear DNA content, flow cytometry, neotropical bats, 756
postnatal growth, ontogenetic variation, developmental constraints, covariation, cotton rats, 814
single-copy DNA divergence, DNA-DNA hybridization, intraspecific variation, Hominoidea, 925
progeny sex ratio, maternal condition, semidomesticated reindeer, 1331
sexual selection, sperm competition, morphometric analysis, behavioral observations, savanna baboons, 1507
microgeographic variation, population density, population subdivision, genetic distance, mitochondrial DNA, meadow voles, 1522
morphological variation patterns, facial morphology, phylogeny, papionins, 1737

MOLECULAR EVOLUTION
chromosome number, ribosomal and mitochondrial DNA, hybrid zone, pocket gopher, gene flow, 63
mitochondrial DNA, phylogeny, tortoises, 76
mitochondrial DNA, phylogeny, hybrid zones, crested newts, 88
nuclear DNA, transovarial bacterial transmission, cockroaches, 276
ribosomal and mitochondrial DNA, karyotyping, phylogenies, *Sceloporus grammicus,* 296
clinal variation, *Adh,* natural selection, genomic DNA, *Drosophila melanogaster,* 393
mosaic hybrid zones, allozymes, mitochondrial DNA, crickets, 432
hybrid zones, morphology, allozymes, mitochondrial DNA, frequency-dependent introgression, *Notropis,* 620
mitochondrial DNA, deer mice, 646
autotetraploids, phylogeny, chloroplast DNA, *Heuchera micrantha,* 650
maximum-likelihood methods, phylogeny, mitochondrial DNA, hominids, 672
nuclear DNA content, flow cytometry, neotropical bats, 756
single-copy DNA divergence, DNA-DNA hybridization, intraspecific variation, Hominoidea, 925
origin of parthenogenesis, interspecific hybridization, mitochondrial DNA, parthenogenetic lizards, 943
mitochondrial DNA, maternal ancestry, hybridization, whiptail lizards, 958
mitochondrial DNA, tandem sequence duplication, phylogeny, *Cnemidophorus,* 969
mitochondrial DNA, nonreciprocal hybridizations, *Menidia clarkhubbsi,* 984
origin of asexuality, clonal diversity, mitochondrial DNA, *Daphnia pulex,* 1016
ribosomal DNA, *Rudbeckia missouriensis,* 1117
phylogeographic patterns, mitochondrial DNA, vertebrates, 1192
microgeographic variation, population density, population subdivision, genetic distance, mitochondrial DNA, meadow voles, 1522
introgression, chloroplast genome, teosinte, 1555
ribosomal DNA, biological species, root-infecting fungi, 1652
DNA sequence data, phylogenies, 1796
maintenance of sex, isozyme variation, mitochondrial DNA, life-history characters, *Daphnia pulex,* 1724

MOLLUSKS
gametic disequilibrium, direct selection, electrophoretic variation, mussels, 228
developmental constraints, *Cerion,* 516
host-parasite interaction, maintenance of sex, reciprocal cross-infection experiments, digenetic trematodes, snails, 1663

evolution of aposematism, individual selection, marine gastropods, 1811

PALEONTOLOGY
"mass-mortality layers," time-averaged samples, character variances, sticklebacks, 607

PARASITISM
cuckoos, *Ploceus cucullatus,* egg-rejection behavior, 55
asexual reproduction, specialist fungal pathogen, frequency dependence, genetic diversity, *Podophyllum peltatum,* 540
host compatibility, *Atkinsonella hypoxylon,* 825
sex-specific fungal infection, *Silene alba,* anther-smut fungus, 835
host-parasite interaction, maintenance of sex, reciprocal cross-infection experiments, digenetic trematodes, snails, 1663

PHYLOGENY
neutral models, quantitative-genetic variation, phylogenies, human cranial morphology, 1
morphological bases of flightlessness, grebes, 29
mitochondrial DNA, tortoises, 76
mitochondrial DNA, hybrid zones, crested newts, 88
nuclear DNA, transovarial bacterial transmission, cockroaches, 276
two-dimensional gel electrophoresis, fibroblast proteins, phenetic trees, Ursidae, 282
ribosomal and mitochondrial DNA, karyotyping, phylogenies, *Sceloporus grammicus,* 296
maximum-likelihood methods, mitochondrial DNA, hominids, 672
dendrograms, allozymes, *Anolis,* 678
karyotypic evolution, polyploidy, genome size, Proseriata, 900
single-copy DNA divergence, DNA-DNA hybridization, intraspecific variation, Hominoidea, 925
mitochondrial DNA, tandem sequence duplication, *Cnemidophorus,* 969
character evolution, cladistics, evolution of dioecy, seed plants, 1137
biological homology concept, historically acquired developmental constraints, blenniid fishes, 1157
composite traits, selection response, evolutionary patterns, 1172
phylogeographic patterns, mitochondrial DNA, vertebrates, 1192
introgression, chloroplast genome, teosinte, 1555
gene duplication, gene silencing, cytosolic glucosephosphate isomerase, Leguminosae, 1637
ribosomal DNA, biological species, root-infecting fungi, 1652
morphological variation patterns, facial morphology, papionins, 1737
homoplasy, consistency indexes, number of taxa, cladistic analyses, 1781
DNA sequence data, plant families, 1796

PHYSIOLOGY
epicuticular hydrocarbon composition, cuticular permeability, sexual dimorphism, thermal acclimation, *Drosophila pseudoobscura,* 468
pollinator attraction, color change, physiological constraints, *Fuchsia excorticata,* 1252
adult ethanol metabolism, cactophilic *Drosophila,* 1316
vertical stems, safety factors, morphometric and mechanical studies, *Equisetum hyemale,* 1625

PLANTS (see also REPRODUCTION—PLANT)
quantitative-genetic variation, life-history variation, *Heterosperma pinnatum,* 113
evolution of andromonoecy, androdioecy, and dioecy, *Solanum,* 204
pollen-tube growth, gametophytic competition, germination synchrony, *Erythronium grandiflorum,* 220
genetic diversity, *Acacia mangium,* 231
male-male competition, phenotypic selection of floral traits, sex-specific selection, sex-allocation theory, *Ipomopsis aggregata,* 318
petal-color polymorphism, mating patterns, floral attractiveness, wild radish, 335
phenotypic selection, corolla length, pollination, *Calathea ovandensis,* 461
asexual reproduction, specialist fungal pathogen, frequency dependence, genetic diversity, *Podophyllum peltatum,* 540
life-history variation, successional gradient, directions/stabilizing/disruptive selection, *Danthonia spicata,* 548
directional/stabilizing/disruptive selection, herbivory, *Ipomoea purpurea,* 563
coevolution, genetic variation, costs of herbivore resistance, *Ipomoea purpurea,* 573
autopolyploidy, genetic diversity, *Tolmiea menziessi,* 586
migration patterns, clines, gametic-phase disequilibrium, *Triticum dicoccoides,* 595
autotetraploids, phylogeny, chloroplast DNA, *Heuchera micrantha,* 650
pollen shadows, pollination, gene flow, *Erythronium grandiflorum,* 657
gynodioecy, nonequilibrium processes, burned habitats, *Thymus vulgaris,* 662
sex-specific fungal infection, *Silene alba,* anther-smut fungus, 835
partial selfing, genetic covariance, paternity analysis, electrophoresis, *Mimulus guttatus,* 848
cleistogamous and chasmogamous flowers, outcrossing rates, electrophoresis, biparental inbreeding, *Impatiens capensis,* 860
pollination, color change, floral traits, *Lupinus argenteus,* 870
pollination, pollinator-mediated selection, bumblebees, *Polemonium viscosum,* 882
insect floral herbivory, maternal fitness, *Pastinaca sativa,* 891
maintenance of sex, sib-competition, *Anthoxanthum odoratum,* 1054, 1066
maintenance of outcrossing, sib-competition, frequency-dependent selection, *Impatiens capensis,* 1075
haploid gene diversity, allozymes, dioecious moss, 1085
gene flow, "optimal outcrossing distance," pollination experiment, *Ipomopsis aggregata,* 1097
"optimal outbreeding distance," quadratic-regression analysis, 1110

proximity-dependent cross-compatibility, relatedness, *Phlox drummondii,* 1114
ribosomal DNA, *Rudbeckia missouriensis,* 1117
character evolution, phylogenetic analysis, cladistics, evolution of dioecy, seed plants, 1137
pollinator attraction, color change, physiological constraints, *Fuchsia excorticata,* 1252
mating system, seed weight, emergence date, inbreeding depression, *Collinsia verna,* 1263
small population size, recovery potential, quantitative measures, ryegrass, 1320
tristylous genetic polymorphism, population surveys, fitness components, computer simulations, evolution of self-fertilization, *Eichhornia paniculata,* 1398
inbreeding depression, self-fertilization, *Phlox,* 1417
sex ratio, biomass allocation, cost of male function, *Cucurbita foetidissima,* 1424
embryo development, seed size, maternal and paternal effects, wild radish, 1435
pollen dispersal, gene flow, *Ipomopsis aggregata,* 1444
maintenance of sex, general-purpose genotypes, environmental sensitivity, *Antennaria parvifolia,* 1456
introgression, chloroplast genome, teosinte, 1555
vertical stems, safety factors, morphometric and mechanical studies, *Equisetum hyemale,* 1625
gene duplication, gene silencing, cytosolic glucose-phosphate isomerase, Leguminosae, 1637

PLATYHELMINTHES
karyotypic evolution, polyploidy, genome size, phylogeny, Proseriata, 900
host-parasite interaction, maintenance of sex, reciprocal cross-infection experiments, digenetic trematodes, snails, 1663

PROKARYOTES
bidirectional gene exchange, interspecific recombination, hybrids, unstable phenotypes, eubacteria, 1585

QUANTITATIVE GENETICS
neutral models, phylogenies, human cranial morphology, 1
life-history variation, *Heterosperma pinnatum,* 113
cannibalism, *Tribolium confusum,* 169
genetic relatedness, identity by descent, theory, 258
models, evolution of multiple traits, maternal inheritance, maternal selection, 485
frozen-niche-variation model, "hemiclones," life-history variation, *Poeciliopsis,* 635
shifting-balance model, epistasis, *Drosophila melanogaster,* 766
partial selfing, genetic covariance, paternity analysis, electrophoresis, *Mimulus guttatus,* 848
theory, multivariate selection, directional and nonlinear selection, 1209
embryo development, seed size, maternal and paternal effects, wild radish, 1435
clinal variation, body size, diapause, diversifying selection, heritability, striped ground cricket, 1483
additive partitioning of selection gradients, directional selection, theory, 1567
flight behavior, responses to selection, migratory milkweed bugs, 1805
heritability of body size, cross-fostering experiment, Tree Swallows, 1808

REPRODUCTION—ANIMAL
body and kype size, breeding competition, natural selection, coho salmon, 125
egg production, life-history trade-offs, secondary sexual characters, breeding competition, coho salmon, 141
nuclear DNA, transovarial bacterial transmission, cockroaches, 276
frozen-niche-variation model, "hemiclones," life-history variation, *Poeciliopsis,* 635
inbreeding, reproductive success, Darwin's Medium Ground Finches, 1273
sexual selection, sperm competition, morphometric analysis, behavioral observations, savanna baboons, 1507
incipient reproductive isolation, hybrid breakdown, *Drosophila,* 1610
evolution of clutch size, theory, 1699
clutch sizes, demographic data, Florida Scrub Jay, 1706
maintenance of sex, isozyme variation, mitochondrial DNA, life-history characters, *Daphnia pulex,* 1724

REPRODUCTION—PLANT
quantitative-genetic variation, life-history variation, *Heterosperma pinnatum,* 113
evolution of andromonoecy, androdioecy, and dioecy, *Solanum,* 204
pollen-tube growth, gametophytic competition, germination synchrony, *Erythronium grandiflorum,* 220
male-male competition, phenotypic selection of floral traits, sex-specific selection, sex-allocation theory, *Ipomopsis aggregata,* 318
petal-color polymorphism, mating patterns, floral attractiveness, wild radish, 335
phenotypic selection, corolla length, pollination, *Calathea ovandensis,* 461
gynodioecy, nonequilibrium processes, burned habitats, *Thymus vulgaris,* 662
sex-specific fungal infection, *Silene alba,* anther-smut fungus, 835
cleistogamous and chasmogamous flowers, outcrossing rates, electrophoresis, biparental inbreeding, *Impatiens capensis,* 860
pollination, color change, floral traits, *Lupinus argenteus,* 870
pollination, pollinator-mediated selection, bumblebees, *Polemonium viscosum,* 882
maintenance of outcrossing, sib-competition, frequency-dependent selection, *Impatiens capensis,* 1075
proximity-dependent cross-compatibility, relatedness, *Phlox drummondii,* 1114
pollinator attraction, color change, physiological constraints, *Fuchsia excorticata,* 1252
mating system, seed weight, emergence date, inbreeding depression, *Collinsia verna,* 1263
zygote overproduction, bet-hedging, selective abortion, theory, 1369
tristylous genetic polymorphism, population surveys, fitness components, computer simulations,

evolution of self-fertilization, *Eichhornia paniculata,* 1398
inbreeding depression, self-fertilization, *Phlox,* 1417
sex ratio, biomass allocation, cost of male function, *Cucurbita foetidissima,* 1424
embryo development, seed size, maternal and paternal effects, wild radish, 1435
pollen dispersal, gene flow, *Ipomopsis aggregata,* 1444
maintenance of sex, general-purpose genotypes, environmental sensitivity, *Antennaria parvifolia,* 1456

REPTILES
mitochondrial DNA, phylogeny, tortoises, 76
ribosomal and mitochondrial DNA, karyotyping, phylogenies, *Sceloporus grammicus,* 296
dendrograms, allozymes, *Anolis,* 678
origin of parthenogenesis, interspecific hybridization, mitochondrial DNA, parthenogenetic lizards, 943
mitochondrial DNA, maternal ancestry, hybridization, whiptail lizards, 958
mitochondrial DNA, tandem sequence duplication, phylogeny, *Cnemidophorus,* 969
triploid parthenogens, repetitive hybrid origins, genotypic diversity, allozymes, *Heteronotia binoei,* 994
sex-ratio evolution, temperature-dependent sex determination, skewed primary sex ratio, theory, 1561

SELECTION—EXPERIMENTS
paedomorphosis, salamanders, 105
r- and *K*-selection, life history, *Drosophila melanogaster,* 382
epicuticular hydrocarbon composition, cuticular permeability, sexual dimorphism, thermal acclimation, *Drosophila pseudoobscura,* 468
shifting-balance model, epistasis, *Drosophila melanogaster,* 766
allele-frequency changes, inversions, latitudinal clines, *Drosophila melanogaster,* 775
inbreeding, effects on additive genetic variance, viability, *Drosophila melanogaster,* 1800
response to selection on flight behavior, migratory milkweed bugs, 1805

SELECTION—NATURAL
cuckoo parasitism, *Ploceus cucullatus,* egg-rejection behavior, 55
body and kype size, breeding competition, coho salmon, 125
egg production, life-history trade-offs, secondary sexual characters, breeding competition, coho salmon, 141
gametic disequilibrium, direct selection, electrophoretic variation, mussels, 228
male-male competition, phenotypic selection of floral traits, sex-specific selection, sex-allocation theory, *Ipomopsis aggregata,* 318
clinal variation, *Adh,* genomic DNA, *Drosophila melanogaster,* 393
frequency-dependent selection, warning color, hybrid zones, butterflies, 421
nuptial color, predation, threespine sticklebacks, 450
phenotypic selection, corolla length, pollination, *Calathea ovandensis,* 461
quantitative-genetic models, evolution of multiple traits, maternal inheritance, maternal selection, 485
life-history variation, successional gradient, directional/stabilizing/disruptive selection, *Danthonia spicata,* 548
directional/stabilizing/disruptive selection, herbivory, *Ipomoea purpurea,* 563
mate-finding ability, sensory structures, cave dwelling amphipods, 689
hybrid zone, salamanders, 728
pollination, pollinator-mediated selection, bumblebees, *Polemonium viscosum,* 882
genome size, development time, body size, mosquitos, 895
composite traits, selection response, evolutionary patterns, 1172
pollinator attraction, color change, physiological constraints, *Fuchsia excorticata,* 1252
mating system, seed weight, emergence date, inbreeding depression, *Collinsia verna,* 1263
tristylous genetic polymorphism, population surveys, fitness components, computer simulations, evolution of self-fertilization, *Eichhornia paniculata,* 1398
clinal variation, body size, diapause, diversifying selection, heritability, striped ground cricket, 1483
lifetime reproductive success, intensity of selection, *Colpula lativentris,* 1826

SELECTION—SEXUAL
head morphology, hybrids *Drosophila,* 190
mimicry, butterflies, Blue [illegible], 410
speciation, sexual isolation, *Drosophila mojavensis,* 908
sexual size dimorphism, polygynous and monogamous populations, sparrows, 1120, 1121
male horn size, population density, fungus beetles, 1378
handicap mechanism, paternal investment, female choice, "Fisher line," haploid model, 1387
sperm competition, morphometric analysis, behavioral observations, savanna baboons, 1507
mate choice, male wing melanin patterns, butterflies, 1672
discrete male morphs, male fertilization success, marine isopods, 1683

SEX
maintenance, group-selection model, 245
gynodioecy, nonequilibrium processes, burned habitats, *Thymus vulgaris,* 662
origin of parthenogenesis, interspecific hybridization, mitochondrial DNA, parthenogenetic lizards, 943
mitochondrial DNA, nonreciprocal hybridizations, *Menidia clarkhubbsi,* 984
triploid parthenogens, repetitive hybrid origins, genotypic diversity, allozymes, *Heteronotia binoei,* 994
sex-limited meiosis suppression, cyclic parthenogenesis, interspecific hybridization, allozymes, *Daphnia pulex,* 1004
origin of asexuality, clonal diversity, mitochondrial DNA, *Daphnia pulex,* 1016
parthenogenetic clones, multiple hybridizations, allozymes, *Warramabo virgo,* 1027
maintenance, sib-competition, *Anthoxanthum odoratum,* 1054, 1066

maintenance, general-purpose genotypes, environmental sensitivity, *Antennaria parvifolia,* 1456
host-parasite interaction, maintenance of sex, reciprocal cross-infection experiments, digenetic trematodes, snails, 1663
maintenance of sex, isozyme variation, mitochondrial DNA, life-history characters, *Daphnia pulex,* 1724

SEX RATIO
foundress density, hymenopteran wasps, 465
genetic-relatedness hypothesis, theory, slave-making ants, 913
maternal condition, semidomesticated reindeer, 1331
biomass allocation, cost of male function, *Cucurbita foetidissima,* 1424
partially sex-changing species, theory, 1559
temperature-dependent sex determination, reptiles, theory, 1561

SPECIATION
hybrid sterility, *Drosophila,* 180
mating discrimination, hybrid sterility, hybrid inviability, *Drosophila,* 362
sexual isolation, *Drosophila mojavensis,* 908
reproductive isolation, host specificity, ladybird beetles, 1045
evolution of reinforcement, hybrid zone, gene flow, postmating isolation, theory, 1223
reproductive isolation, isolating mechanisms, behavioral isolation, adaptive divergence, *Drosophila pseudoobscura,* 1308
adult ethanol metabolism, cactophilic *Drosophila,* 1316
gradualism, punctuated-equilibrium, autapomorphies, cladistic analysis, small monophyletic groups, computer simulations, 1538
bidirectional gene exchange, interspecific recombination, hybrids, unstable phenotypes, eubacteria, 1585
incipient reproductive isolation, hybrid breakdown, *Drosophila,* 1610
differential host-plant usage, sympatric speciation, *Rhagoletis pomonella,* 1813

THEORY
neutral models, quantitative-genetic variation, phylogenies, human cranial morphology, 1
path-analytic model, phylogeny, phenotypic selection, pentatomid bugs, House Sparrows, 18
tables of statistical tests, 223
maintenance of sex, group-selection model, 245
genetic relatedness, identity by descent, 258
temporal variation, phenotypic variance, iteroparity, 473
quantitative-genetic models, evolution of multiple traits, maternal inheritance, maternal selection, 485
aggressive behavior, allorecognition, cnidarians, 504
combinatorics, mating-type systems, 667
maximum-likelihood methods, phylogeny, mitochondrial DNA, hominids, 672
partial selfing, genetic covariance, paternity analysis, electrophoresis, *Mimulus guttatus,* 848
quantitative-genetics, multivariate selection, directional and nonlinear selection, 1209
evolution of reinforcement, hybrid zone, gene flow, postmating isolation, 1223
temporal changes in allele frequencies, 1236
gene flow, F_{ST}, rare alleles, maximum likelihood, 1349
zygote overproduction, bet-hedging, selective abortion, 1369
sexual selection, handicap mechanism, paternal investment, female choice, "Fisher line," haploid model, 1387
tristylous genetic polymorphism, population surveys, fitness components, computer simulations, evolution of self-fertilization, *Eichhornia paniculata,* 1398
gradualism, punctuated equilibrium, autapomorphies, cladistic analysis, small monophyletic groups, computer simulations, 1538
adult sex ratio, partially sex-changing species, 1559
sex-ratio evolution, temperature-dependent sex determination, skewed primary sex ratio, reptiles, 1561
additive partitioning of selection gradients, directional selection, 1567
speed of evolution, drift, rate test, 1569
evolution of clutch size, 1699
heritable variation, mutation-selection balance, finite populations, simulation study, 1748
maintenance of polygenic variation in finite populations, 1767
Hutchinsonian ratios, statistical power, 1820

VARIATION—GENETIC
neutral models, phylogenies, human cranial morphology, 1
chromosome number, ribosomal and mitochondrial DNA, hybrid zone, pocket gopher, gene flow, 63
life-history variation, *Heterosperma pinnatum,* 113
cannibalism, quantitative genetics, *Tribolium confusum,* 169
gametic disequilibrium, direct selection, electrophoretic variation, mussels, 228
low genetic diversity in a tropical forest tree, *Acacia mangium,* 231
courtship success, hybrids, coadapted gene complex, *Drosophila,* 347
asexual reproduction, specialist fungal pathogen, frequency-dependence, *Podophyllum peltatum,* 540
coevolution, costs of herbivore resistance, *Ipomoea purpurea,* 573
autopolyploidy, *Tolmiea menziesii,* 586
migration patterns, clines, gametic-phase disequilibrium, *Triticum dicoccoides,* 595
hybrid zones, morphology, allozymes, mitochondrial DNA, frequency-dependent introgression, *Notropis,* 620
interpopulational differentiation, racial admixture, gene flow, Africanized honeybees, 794
partial selfing, genetic covariance, paternity analysis, electrophoresis, *Mimulus guttatus,* 848
triploid parthenogens, repetitive hybrid origins, allozymes, *Heteronotia binoei,* 994
sex-limited meiosis suppression, cyclic parthenogenesis, interspecific hybridization, allozymes, *Daphnia pulex,* 1004
parthenogenetic clones, multiple hybridizations, allozymes, *Warramabo virgo,* 1027
haploid gene diversity, allozymes, dioecious moss, 1085

small population size, recovery potential, quantitative measures, ryegrass, 1320
resource use, electrophoretic variability, oviposition-site preference, larval performance, host specificity, *Drosophila tripunctata*, 1467
life-history variables, balancing selection, environmental variation, bony fishes, 1712
maintenance of sex, isozyme variation, mitochondrial DNA, life-history characters, *Daphnia pulex*, 1724
heritable variation, mutation-selection balance, finite populations, simulation study, 1748
maintenance of polygenic variation in finite populations, theory, 1767
inbreeding, genetic variance, viability, *Drosophila melanogaster*, 1800

VARIATION—PHENOTYPIC
life-history variation, *Heterosperma pinnatum*, 113
body and kype size, breeding competition, natural selection, coho salmon, 125
egg production, life-history trade-offs, secondary sexual characters, breeding competition, coho salmon, 141
head morphology, hybrids, sexual selection, *Drosophila*, 190
male-male competition, phenotypic selection of floral traits, sex-specific selection, sex-allocation theory, *Ipomopsis aggregata*, 318
petal-color polymorphism, mating patterns, floral attractiveness, wild radish, 335
nuptial color, predation, threespine sticklebacks, 450
phenotypic selection, corolla length, pollination, *Calathea ovandensis*, 461
temporal variation, iteroparity, 473
geographic variation, *Cerion*, developmental constraint, 516
"mass-mortality layers," time-averaged samples, character variances, sticklebacks, 607
hybrid zones, morphology, allozymes, mitochondrial DNA, frequency-dependent introgression, *Notropis*, 620
frozen-niche-variation model, "hemiclones," life-history variation, *Poeciliopsis*, 635
character evolution, phylogenetic analysis, cladistics, evolution of dioecy, seed plants, 1137
biological homology concept, historically acquired developmental constraints, blenniid fishes, 1157
composite traits, selection response, evolutionary patterns, 1172
tristylous genetic polymorphism, population surveys, fitness components, computer simulations, evolution of self-fertilization, *Eichhornia paniculata*, 1398
clinal variation, body size, diapause, diversifying selection, heritability, striped ground cricket, 1483
sexual selection, sperm competition, morphometric analysis, behavioral observations, savanna baboons, 1507
mate choice, male wing melanin patterns, butterflies, 1672
discrete male morphs, male fertilization success, marine isopods, 1683
morphological variation patterns, facial morphology, phylogeny, papionins, 1737